

 **LIEVERS**
H O L L A N D

&




FINE EQUIPMENT

Channel Partners &
Exclusive Distributors /
Service Providers



Fine Map



LIEVERS
H O L L A N D

&



FINE EQUIPMENT

**Channel Partners /
Exclusive Distributors /
Service Providers**



P18Li Complete (including drive hose)

P18Li Complete	Description	1.0 meter drive hose	1.5 meter drive hose
	P18Li Complete. Equipped with powerful 18V 450W - brushless DC motor. This package contains 2 pieces of 5.0Ah 18V Litium Ion batteries en a charger. Packed in a standard box and including drive hose of 1 meter or 1.5 meter.		
	P18Li Complete. Equipped with powerful 18V 450W - brushless DC motor. This package contains 2 pieces of 5.0Ah 18V Litium Ion batteries en a charger. Packed in a luxurious Sortimo L-Boxx and including drive hose of 1 meter or 1.5 meter.		

&



FINE EQUIPMENT

Channel Partners /

Exclusive Distributers /

Service Providers



Article numbers of the complete sets (including drive hose)		
dimension drive hose	in std package	in Sortimo L-Boxx
Ø28mm 1.0 meter	1810180200	1810181200
Ø28mm 1.5 meter	1810180205	1810181205
Ø38mm 1.0 meter	1810180300	1810181300
Ø38mm 1.5 meter	1810180305	1810181305
Ø45mm 1.0 meter	1810180400	1810181400
Ø45mm 1.5 meter	1810180405	1810181405

P18Li Complete

Article number		Description	
	1810180001	P18Li Complete. Equipped with a powerfull 18V 450W - brushless DC motor. This package contains 2 pieces of 5.0Ah 18V Litium Ion batteries and a charger.	
	1810180012	P18Li Complete. Equipped with a powerfull 18V 450W - brushless DC motor. This package contains 2 pieces of 5.0Ah 18V Litium Ion batteries and a charger. All fitted in a luxulour Sortimo L-Boxx	

P18Li accessories

	Article number	Description	
	1801000215	Separate P18Li battery. Nominal Power 18V and Ampèrage 5.0Ah	
	1801000220	Separate charger to charge the P18Li batteries. Nominal charging power 4Amp	
	1801000105	Airfilterset (2 pieces)	

&




FINE EQUIPMENT

Channel Partners /
Exclusive Distributers /
Service Providers



P14 Complete (motor + drive hose)

ø 28,38,45 mm	1.0 meter hose	1.5 meter hose	2.0 meter hose	2.5 meter hose	3.0 meter hose	3.5 meter hose	4.0 meter hose ¹
P14E 							
P14B 	x	x	x				x

¹ Not available

P14 Drive units

Type	Article number	Description
P14E	1122210000	Electric motor 230V - 50 or 60 Hz / 1 Phase, with 5 meter cable and plug, double insulated, IP 54 isolation class, also available with 115V - 50 or 60 Hz / 1 phase motor
P14B	1123000000	Honda 4-stroke petrol engine, built into a specially designed backpack frame

P14 Flexible drive hoses

		Description		
		Flexible shaft, rubber hose (resistant to oil and chemicals), hardened steel vibrating bottle (generating 12,000 vibration per minute and high amplitude), with unique quick coupling for fast exchange of drive hoses		
Length ⁽¹⁾		Diameter ø 28 mm	Diameter ø 38 mm	Diameter ø 45 mm
1.0 meter		1132810000	1133810000	1134510000
1.5 meter		1132815000	1133815000	1134515000
2.0 meter		1132820000	1133820000	1134520000
2.5 meter		1132825000	1133825000	1134525000
3.0 meter		1132830000	1133830000	1134530000
3.5 meter		1132835000	1133835000	1134535000
4.0 meter		1132840000	1133840000	

⁽¹⁾ Including bottle length, for 28mm the total length is approximately 10 cm shorter

LIEVERS
H O L L A N D

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers





LIEVERS
H O L L A N D

&



FINE EQUIPMENT

P14E



Channel Partners /
Exclusive Distributors /
Service Providers





Electric motor

VOLTAGE (AC)	CURRENT (MAX)	FREQUENCY	POWER	SPEED (no load)	PHASE	WEIGHT
V	A	Hz	W	RPM		kg
230	6,5	50/60	2300	18.000	1	4.5

&



FINE EQUIPMENT



Poker head

Ø DIAMETER	LENGTH	WEIGHT	CAPACITY	ACTION ZONE	FREQUENCY
mm	mm	kg	(m3/h)	(cm)	rpm
25	315	0.8	1.2	20	12.000
38	455	2.5	7.7	70	12.000
48	495	4.0	13.0	90	12.000
60	575	6.0	15.3	110	12.000

Channel Partners /
Exclusive Distributors /
Service Providers



Poker vibrators

BV - Mechanical Poker vibrators

BV Complete (Motor + 6.5 m drive hose)

Type of motor		Diameter ø 38 mm	Diameter ø 45 mm	Diameter ø 60 mm
BV-Petrol				

BV Drive units

Type	Article number	Description
BV - 400	1223800000	Electical drive unit. Voltage: 400V - 50Hz - 3-phase
BV - 230	1222200000	Electical drive unit. Voltage: 230V - 50Hz - 1-phase
BV - Petrol	12268000UC	Honda petrol engine: GX120

BV Flexible drive hoses

Flexible drive hoses	Description		
	Flexible shaft, rubber hose (resistant to oil and chemicals), specially designed for BV motors with universal or Lievers coupling, hardened steel vibrating bottle (12,000 vibrations per minutes and high amplitude)		
	Length	Diameter vibrating bottle	Article number
	6.5 meter	ø 38 mm	1233806500UC
	6.5 meter	ø 45 mm	1234506500UC
	6.5 meter	ø 60 mm	1236006500UC

On request: different lengths

Poker vibrators

PTX - Pneumatic poker vibrators

PTX Pneumatic poker vibrators

PTX	Type	Article number	Description
	PTX 25	161T025200	Diameter 25 mm - 3.0 meter hose
	PTX 40	161T040200	Diameter 40 mm - 3.0 meter hose
	PTX 50	161T050200	Diameter 50 mm - 3.0 meter hose
	PTX 58	161T058200	Diameter 58 mm - 3.0 meter hose
	PTX 80	161T080200	Diameter 80 mm - 3.0 meter hose

LIEVERS

H O L L A N D

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributers /
Service Providers



High Frequency Poker vibrators

Premium line

High Frequency Poker vibrators with integrated converter

LHF-E 230V / 50Hz - with 5 meter operating hose and 10 meter electric cable



Standard	Article number	Bottle length	Voltage	Current
LHF-E ø 36	131EL362301K	280 mm	230V	2.0A
LHF-E ø 50	131EL502301K	320 mm	230V	2.8A
LHF-E ø 57	131EL572301K	340 mm	230V	4.2A
Heavy Duty				
LHF-E ø 36	131EL3602300	310 mm	230V	2.2A
LHF-E ø 50	131EL5002300	370 mm	230V	3.6A
LHF-E ø 57	131EL5702300	390 mm	230V	4.7A
LHF-E ø 65	131EL6502300	400 mm	230V	5.6A

HS-ER 230V / 50 Hz - with ergonomically designed pistol handle, 0.85 meter operating hose and 20 meter electric cable



Standard	Article number	Bottle length	Voltage	Current
HS-ER ø 36	132ER362301K	280 mm	230V	2.0A
HS-ER ø 50	132ER502301K	320 mm	230V	2.8A
HS-ER ø 57	132ER572301K	340 mm	230V	4.2A
Heavy Duty				
HS-ER ø 36	132ER3602300	310 mm	230V	2.2A
HS-ER ø 50	132ER5002300	370 mm	230V	3.6A
HS-ER ø 57	132ER5702300	390 mm	230V	4.7A
HS-ER ø 65	132ER6502300	400 mm	230V	5.6A

&



FINE EQUIPMENT

Channel Partners /

Exclusive Distributors /

Service Providers



High Frequency Poker vibrators

Premium line


High frequency Poker vibrator 42 Volt 200 Hz

LHF 42V / 200 Hz - with 5 meter operating hose and 10 meter electrical cable



Standard	Article number	Bottle length	Voltage	Current
LHF ø 36	1313604201	280 mm	42V	4.5A
LHF ø 50	1315004201	320 mm	42V	6.7A
LHF ø 57	1315704201	340 mm	42V	11.5A
Heavy Duty				
LHF ø 36	1313604200	310 mm	42V	4.5A
LHF ø 50	1315004200	370 mm	42V	9.5A
LHF ø 57	1315704200	390 mm	42V	13.5A
LHF ø 65	1316504200	400 mm	42V	16A

HS 42V / 200 Hz - with ergonomically designed pistol handle, 0.85 meter operating hose and 10 meter electric cable



Standard	Article number	Bottle length	Voltage	Current
HS ø 36	1323604201	280 mm	42V	4.5A
HS ø 50	1325004201	320 mm	42V	6.7A
HS ø 57	1325704201	340 mm	42V	11.5A
Heavy Duty				
HS ø 36	1323604200	310 mm	42V	4.5A
HS ø 50	1325004200	370 mm	42V	9.5A
HS ø 57	1325704200	390 mm	42V	13.5A
HS ø 65	1326504200	400 mm	42V	16A

&



FINE EQUIPMENT

Channel Partners /

Exclusive Distributors /

Service Providers





LIEVERS
H O L L A N D

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



High Frequency Poker vibrators

Value line

Value Line Smart Pokers (with integrated converter)

LHF-E 230V / 50Hz - with 7 meter operating hose and 15 meter electric cable


	Diameter	Article number	Bottle length	Voltage	Current
	ø 38 mm	131V380230	360mm	230V	2.5A
	ø 50 mm	131V500230	398mm	230V	4.0A
	ø 60 mm	131V600230	405mm	230V	6.0A
	ø 70 mm	131V700230	405mm	230V	6.0A

High Frequency Poker vibrators

Value line

Value line Pokers 42 Volt 200 Hz

LHF 42V / 200 Hz - with 7 meter operating hose and 15 meter electrical cable

	Diameter	Article number	Bottle length	Voltage	Current
	LHF ø 38	131V380042	360mm	42V	6.0A
	LHF ø 50	131V500042	398mm	42V	12.0A
	LHF ø 60	131V600042	405mm	42V	13.0A
	LHF ø 70	131V700042	398mm	42V	17.0A

&



FINE EQUIPMENT

Channel Partners /

Exclusive Distributors /

Service Providers



High Frequency converters HFO

230 Volt	Type	kVA	Article number	Secondary Amperage	Outlets
	HFO 0.7 / 230	0.7	1410220070	9.6A	1
	HFO 1.2 / 230	1.2	1410220120	16.5A	1
	HFO 1.8 / 230	1.8	1410220180	24.7A	2
	HFO 2.5 / 230	2.5	1410220250	34.4A	2
	HFO 1.2 / 400	1.2	1410380120	16.5A	1
	HFO 1.8 / 400	1.8	1410380180	24.7A	2
	HFO 2.5 / 400	2.5	1410380250	34.7A	2
	HFO 3.0 / 400	3.0	1410380300	41.2A	3
	HFO 4.0 / 400	4.0	1410380400	55.0A	3
	HFO 6.0 / 400	6.0	1410380600	82.5A	4

* Excluding plug

On request:

- With higher outputs (up to 20 kVA)
- With petrol or diesel generator
- With 230V / 200Hz - 3 Phase secondary voltage
- With 115V / 50Hz Input



&



FINE EQUIPMENT

Channel Partners /
 Exclusive Distributors /
 Service Providers



High Frequency Electronic converters HFO-E

 	Type	kVA	Article number	Secondary Amperage	Outlets
	230 Volt				
	HFO-E 1.8 / 230	1.8	141E2304218	24A	2
	HFO-E 2.5 / 230	2.5	141E2304225	35A	2
	400 Volt ¹				
	HFO-E 3.6 / 400	3.6	141E4004236	50A	3
	HFO-E 5.3 / 400	5.3	141E4004253	75A	4

- With higher outputs
- With 230V / 200Hz - 3 Phase secondary voltage
- With 115V / 50Hz input
- With remote operating control (very convenient in industrial systems)
- With sophisticated safety systems such as overload protection per (internal / external) vibrator

&



FINE EQUIPMENT

High Frequency Converters

Trolleys

Trolley for HFO converters

	Article number	Description
	1420000000	Trolley Galvanic frame with 1 large wheel
	1423000375	Trolley Painted frame with 2 small wheels
	1423000000	Trolley galvanic frame with 2 large wheels, 2 cable drums, 2 collector rings


Channel Partners /
Exclusive Distributors /
Service Providers



External vibrators

ETR / ETRS / HTR / HTRS

ETR & ETRS Electric External vibrators

	Type	Article number	Description
	ETR 65/3	3213800653	Centrifugal force 0-66 kg, 3000 rpm, 400V/
	ETR 130/3	3213801303	Centrifugal force 0-125 kg, 3000 rpm, 400V/
	ETR 200/3	3213802003	Centrifugal force 0-187 kg, 3000 rpm, 400V/
	ETR 300/3	3213803003	Centrifugal force 0-310 kg, 3000 rpm, 400V/
	ETR 650/3	3213806503	Centrifugal force 0-688 kg, 3000 rpm, 400V/
	ETR 850/3	3213808503	Centrifugal force 0-859 kg, 3000 rpm, 400V/
	ETR 1100/3	3213811003	Centrifugal force 0-1050 kg, 3000 rpm, 400V/
	ETR 1600/3	3213816003	Centrifugal force 0-1610 kg, 3000 rpm, 400V/
	ETR 2000/3	3213820003	Centrifugal force 0-2002 kg, 3000 rpm, 400V/
	ETRS 850/3	3213808003-S	Centrifugal force 0-873 kg, 3000 rpm, 400V/50Hz
	ETRS 1500/3	3213815003-S	Centrifugal force 0-1395 kg, 3000 rpm, 400V/50Hz for rapid coupling type M23

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



HTR & HTRS Electric High Frequency External vibrators

	Type	Article number	Description
	HTR 500/6	3214205006	Centrifugal force 0-515 kg, 6000 rpm, 42V/
	HTR1000/6	3214210006	Centrifugal force 0-925 kg, 6000 rpm, 42V/
	HTR 1500/6	3214215006	Centrifugal force 0-1510 kg, 6000 rpm, 42V/
	HTR 2000/6	3214220006	Centrifugal force 0-1950 kg, 6000 rpm, 42V/
	HTRS 500/6	3214205006-S	Centrifugal force 0-515 kg, 6000 rpm, 42V/200Hz
	HTRS 1000/6	3214210006-S	Centrifugal force 0-925 kg, 6000 rpm, 42V/200Hz for rapid coupling type M23
	HTRS 1500/6	3214215006-S	Centrifugal force 0-1510 kg, 6000 rpm, 42V/200Hz for rapid coupling type M23

Mounting systems for all types of external vibrators

	Type	Article number	Description
	Rapid coupling M17	323000017	Rapid coupling for quick and easy securing of vibrators to framework
	Rapid coupling M23	323000023	Rapid coupling for quick and easy securing of vibrators to framework
	Rapid coupling P18	323000018	Boltplate p18 is secured to the framework, then the vibrator is mounted

&



FINE EQUIPMENT




Channel Partners /
Exclusive Distributors /
Service Providers



Vibrating Tables

LTT

LTT 230 / 400 volt standard vibrating tables

Type	Article number	Description
	LTT 40/40	3112204040 Vibrating table 40 x 40 cm, working height 25 cm, executed with IP65 external vibrator 230V / 50Hz - 1 Phase
	LTT 40/40 adjustable	3112204040R Vibrating table 40 x 40 cm, working height 25 cm, executed with IP65 external vibrator 230V / 50Hz - 1 Phase - including integrated speed regulator
	LTT 40/40	3113804040 Vibrating table 40 x 40 cm, working height 25 cm, executed with IP65 external vibrator 400V / 50Hz - 3 Phase
	LTT 80/80	3113808080 Vibrating table 80 x 80 cm, working height 70 cm, executed with IP65 external vibrator 400V / 50Hz - 3 Phase
	LTT 80/120	3113808120 Vibrating table 80 x 120 cm, working height 70 cm, executed with IP65 external vibrator 400V / 50Hz - 3 Phase
	LTT 180/120	3113802180 Vibrating table 120 x 180 cm, working height 70 cm

- LTT40/40 is executed with a ETR65/3, LTT 80/80 with a ETR300/3 and LTT80/120 with a ETR650/3 motor
- special applications may require different vibrating motors, please contact Lievers for the possibilities



&




FINE EQUIPMENT

**Channel Partners /
Exclusive Distributors /
Service Providers**



K-150 Light weight Wet Screenshot

	Type	Article number	Description
	K150 B	235150010B	Working width 1.50 meter, executed with a 4-stroke Honda GX-25 petrol engine
	K150 E	235150020E	Working width 1.50 meter, executed with a 230V-50Hz-1 phase <u>double</u> insulated electric vibrating unit.
	K150 ER	235150020ER	Working width 1.50 meter, executed with a 230V-50Hz-1 phase <u>double</u> insulated electric vibrating unit, with an electronic

	Type	Article number	Description
	HAL200 B	235200000HON	Working width 2 meter, executed with a 4-stroke Honda GX-25 petrol engine
	HAL200 E	235200220E	Working width 2 meter, executed with a 230V-50Hz-1 phase <u>double</u> insulated electric vibrating unit.
	HAL200 ER	235200220ER	Working width 2 meter, executed with a 230V-50Hz-1 phase <u>double</u> insulated electric vibrating unit, with an electronic speed regulator

All HAL200 wet screeds come with pitch control and 3 extension handles to give a maximum reach of 4.5 meters.

PREFAB Easyscreenshot

	Type	Article number	Description ¹
	Prefab Easyscreenshot	23700220ER	Prefab element vibrating beam set, consisting of a 230V-50Hz-1 phase double insulated electric vibrating unit, speed regulator and two rapid (vibration

¹This set is excluding Light Weight aluminium profile

²see the Light Weight Aluminium profiles (page 9)

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers





LIEVERS
HOLLAND

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



DUOSCREED Drive unit

	Type	Article number	Description
	DuoScreed Power Unit	260000EURO	Complete with 4-stroke Honda GX-35 petrol engine excluding interchangeable 'heavy duty' or lightweight aluminium profiles
	DuoScreed Electric Unit	260000ELECTR	Complete with Double Insulated electrical motor excluding interchangeable 'heavy duty' or lightweight aluminium profiles

DUOSCREED Interchangeable "heavy duty" aluminium special profiles

	Description	Article number	Weight in kg
	Working width 1.50 meter	260015	6.9
	Working width 1.90 meter	260020	8.7
	Working width 2.50 meter	260025	11.5
	Working width 3.00 meter	260030	13.8
	Working width 3.75 meter	260035	17.3
	Working width 4.25 meter	260040	19.6
	Working width 5.00 meter	260050	23.0
	Working width 5.50 meter	260055	25.3
	Working width 6.00 meter	260060	27.6

DUOSCREED Interchangeable "lightweight" aluminium profiles

	Description	Article number	Weight in kg
	Working width 1.52 meter	260015LW	4.4
	Working width 1.83 meter	260018LW	5.3
	Working width 2.44 meter	260024LW	7.1
	Working width 3.05 meter	260030LW	8.8
	Working width 3.66 meter	260036LW	10.6
	Working width 4.27 meter	260042LW	12.4
	Working width 4.88 meter	260048LW	14.2

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers




DTA Double vibrating beams

DTA Drive units

	Type	Article number	Description
	DTA E3	2210300380	DTA electric drive unit 400V / 50Hz for beams of 3.2, 4.2, 5.2 meter length
	DTA E5	2210500380	DTA electric drive unit 400V / 50Hz for beams of 6.2, 7.2 meter length
	DTA B	2210000600	DTA drive unit with Honda petrol engine, complete with mounting system

DTA Beams

	Type	Article number	Description
	DTA 3.2	2210000032	Beam with working width 3.2 meter
	DTA 4.2	2210000042	Beam with working width 4.2 meter
	DTA 5.2	2210000052	Beam with working width 5.2 meter
	DTA 6.2	2210000062	Beam with working width 6.2 meter
	DTA 7.2	2210000072	Beam with working width 7.2 meter

DTA Outtrigger

Type	Article number	Description
Outtrigger U2	2220000000	Optional outrigger that can easily be

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers





LAP Prefab power trowels

	Type	Article number	Description
	LAP45	32308000	LAP 45, Pneumatic power trowel including disc of ø 450 mm
	E-LAP 450N	3423045000	E-LAP, Electric power trowel including disc of ø 450 mm
	E-LAP 450EXH	3423045000EXH	E-LAP, Electric power trowel with extendable handle, including disc of ø 450 mm
	Separate Disc	32308045	Separate disc ø 450 mm including nylon bolts

FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



LTM 600ER - Electrical Walk behind power trowel

	Type	Article number	Description
	LTM 600ER	2450602315ER	Working diameter 600 mm, executed with a 1.5kW 230V 1-phase electric motor, rotating guard ring, lifting bale and including combination blades
		2450604015ER	Working diameter 600 mm, executed with a 1.5kW 400V 3-phase electric motor, rotating guard ring, lifting bale and including combination blades

LTM 750ER - Electrical Walk behind power trowel

	Type	Article number	Description
	LTM 750ER	2450754015ER	Working diameter 750 mm, executed with a 1.5kW 400V 3-phase electric motor, rotating guard ring, lifting bale and including combination blades
		2450754022ER	Working diameter 750 mm, executed with a 2.2kW 400V 3-phase electric motor, rotating guard ring, lifting bale and including combination blades

LTM 900ER - Electrical Walk behind power trowel

	Type	Article number	Description
	LTM 900ER	2450904022ER	Working diameter 900 mm, executed with a 2.2kW 400V 3-phase electric motor, lifting bale and including finishing blades

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



WTM Walk behind power trowels

	Type	Article number	Description
 	WTM 600	2470600001R	Working diameter 600 mm, executed with a 2.6kW / 3.5HP Honda petrol engine, rotating guard ring, lifting bale and including combination blades
	WTM 900	2470900001	Working diameter 900 mm, executed with a 3.6kW / 4.8HP Honda petrol engine, lifting bale and including finishing blades
	WTM 900	2470900002	Working diameter 900 mm, executed with a 6.3kW / 8.4HP Honda petrol engine, lifting bale and including finishing blades
	WTM 1200	2471200001	Working diameter 1.200 mm, executed with a 6.3kW / 8.4HP Honda petrol engine, lifting bale and including finishing blades

WTM Blades and discs

	Description	Article number
WTM 600 mm	Set of 4 combination blades	2420060175
	Floating disc 600 mm	2420060025
WTM 900mm universal	Set of 4 combination blades	2420090177
	Set of 4 finishing blades	2420090179
	Floating disc 900 mm	2420090025
WTM 1200mm universal	Set of 4 combination blades	2420120175
	Set of 4 finishing blades	2420120177
	Floating disc 1200 mm	2420120174

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



Ride-on Power trowels

	Type	Description	Working diameter	Blades per rotor
	JWN 24H TCSL5	Mechanical disc machine with 24hp Honda petrol engine	2 x 900 mm	4
	LD6	Hydrostatic disc machine with 23hp Briggs&Stratton petrol	2 x 900 mm	4
	HHN G5 / E-HHN K5	Mechanical disc machine with 35hp Vanguard petrol or 35hp Kohler	2 x 1200 mm	5
	E-HTX	Hydrostatic disc machine with 44hp Vanguard turbo dieselmotor	2 x 1200 mm	5
	STX 6H / STX DF	Hydrostatic disc machine with 70hp Hatz turbo dieselmotor or 84hp Ford	2 x 1600 mm	6

All ride-on machines are dic machines equipped with:

- § Halogen Lights
- § Adjustable seat with automatic shut down (CE-regulations)
- § Liquid spray system
- § "Twin-Pitch" control
- § Lifting points

Transporters for Ride-on Power trowels

	Type	Description	Article number
	EMR-1	"Easy mover" with 2 wheels for JTN	248500003
	EMR-2	"Easy mover" with 4 wheels for JWN, H'	248500006
	EMR-3	"Easy mover" for HTX & STX	248500007

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



Type	Article number	Prim. Voltage	Description
	T2060	4112202060	Multi mixer, 0.75kW / 1.0HP, complete with cover, 20 liter bucket, mixer pan 60 liters and 2 mixer blades
	T2090	4112202090	230V / 50 Hz Pan Mixer 90 liters, 1.5kW / 2.0HP
	T2100	4112202100	230V / 50 Hz Pan Mixer 100 liter, 1.5kW / 2.0HP
		4113802100	400V / 50 Hz
	T2125	4113802125	400V / 50 Hz Pan Mixer 125 liters, 1.5kW / 2.0HP
	T2200	4113802200	400V / 50 Hz Pan Mixer 200 liters, 3.0kW / 4.0HP
	T2324	4113802324	400V / 50 Hz Pan Mixer 300 liters, 3kW / 4.0HP

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers



**THANK
YOU**

&



FINE EQUIPMENT

Channel Partners /
Exclusive Distributors /
Service Providers

